AMENDMENTS TO THE CLAIMS

1. (Currently amended) A compound of general formula I:

$$\begin{array}{c|c} R & & \\ &$$

or an N-oxide thereof, or a pharmaceutically acceptable salt thereof, wherein R represents alkyl, hydroxyalkyl, alkoxyalkyl, R*R*N-alkyl, R*R*N-CO-alkyl, or phenylalkyl;

wherein Ra and Rb independently of each other represents hydrogen or alkyl;

R' represents alkoxyalkyl, alkoxyalkenyl [[,]] or alkoxyalkynyl, alkylearbenylalkyl, alkonyl, or alkynyl;

m is 0 or 1:

n is 1-or 2:

X represents N or CH.

- 2. (Currently amended) The compound of claim 1, wherein n is 1 and X represents N.
- 3. (Currently amended) The compound of claim 1, wherein n is 1 and X represents CH.
- (Previously presented) The compound of claim 1, wherein R represents alkyl, hydroxyalkyl, or alkoxyalkyl.
- (Previously presented) The compound of claim 1, wherein R represents R^aR^bN-alkyl, R^aR^bN-CO-alkyl, or phenyl-alkyl;

wherein Ra and Rb independently of each other represents hydrogen, methyl or ethyl.

6. (Previously presented) The compound of claim 1, wherein R' represents alkoxyalkyl.

7. (Canceled)

- 8. (Currently amended) The compound of claim 1, which is
- 2-Methoxyethyl 1-(3-(4-(ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (1a);
- 2-Hydroxyethyl 1-(3-(4-ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (1b);
- n-Butyl 1-(3-(4-(ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (1e); iso-Butyl 1-(3-(4-(ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (1d);
- 2-Methoxyethyl 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (1e);
- 2-Hydroxyethyl 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5carboxylate (1f);
- n-Butyl 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (1g);
- ${\it iso-} Butyl\ 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate\ ({\bf 1h});$
- 5-(methoxycarbonylmethyl) 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)benzimidazole (1i):
- 5-(2-hydroxyethoxycarbonylmethyl) 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)benzimidazole (1j);
- 2 Methoxyethyl 1 (3 (4 (propargyl) 1 piperazinyl) phenyl) benzimidazole 5 carboxylate (8a):
 - 2-Methoxyethyl 1 (3 (4 (allyl) 1-piperazinyl) phenyl)-benzimidazole-5-carboxylate (8b);
- 2-Methoxyethyl 1 (3 (4 (2 oxo propyl) 1-piperazinyl) phenyl) benzimidazole-5earboxylate (8e):

2-Methoxyethyl 1-(3-(1-methoxyethyl-4-piperidinyl)-phenyl)-benzimidazole-5carboxylate (8d):

2-Hydroxyethyl 1 (3 (4 (propargyl) 1 piperazinyl) phenyl) benzimidazole-5-carboxylate (8e);

Benzyl 1-(3-(4-(ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (10a); Methylcarbamoylmethyl 1-(3-(4-(ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (10b);

 $\label{lem:eq:control} Ethyl carbamoyimethyl 1-(3-(4-(ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (10e);$

2-Dimethylaminoethyl 1-(3-(4-(ethoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5carboxylate (10d);

Benzyl 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (10e);

Methylcarbamoylmethyl 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (10f);

 $\label{lem:entropy} Ethyl carbamoylmethyl \ l-(3-(4-(methoxyethyl)-l-piperazinyl)-phenyl)-benzimidazole-5-carboxylate (10g);$

 $\label{lem:control} \mbox{2-Dimethylaminoethyl 1-(3-(4-(methoxyethyl)-1-piperazinyl)-phenyl)-benzimidazole-5-carboxylate $(10h)$;}$

or a pharmaceutically acceptable salt thereof.

9. (Previously presented) A pharmaceutical composition containing a therapeutically effective amount of a compound according to claim 1, or an N-oxide thereof, or a pharmaceutically acceptable salt thereof, together with at least one pharmaceutically acceptable carrier, excipient or diluent.

10. (Currently amended) A method for treatment, prevention or alleviation of a disease or a disorder or a condition fever cramps or status epilepticus or for inducing anaesthesia, preanaesthesia, muscle relaxation, or sedation of a living animal body, including a human, which

disorder, disease or condition is responsive to modulation of the GABA receptor complex, which method comprises the step of administering to such a living animal body in need thereof a therapeutically effective amount of a compound according to any claim 1, or an N-oxide thereof, or a pharmaceutically acceptable salt thereof.

11. (Canceled)